



POLYURETHANE

DESK HEIGHT



AU102



PU102

Model	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Caster
AU102	Polyurethane	17"-22"	20" W x 18" D	15" W x 12" H		Polished Aluminum	1
PU102	Polyurethane	17"-22"	20" W x 18" D	15" W x 12" H		Black Nylon	1

These durable chairs offer total body support with ergonomic features for industrial daily use, chairs is ideal for rugged environments providing ergonomic advantages for the end user.

Polyurethane seat and back construction is designed to resist punctures, tears and moisture absorption

Back rest height and depth are adjustable manually.

has a weight capacity of 300 lbs

OPTIONS



ST



FLC

Controls	Description
ST	Height and Seat and Back Tilt (This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with knob
FLC	Three Lever for Individual Lift (Height lever adjustment, seat tilt adjustment back tilt adjustment and height back adjustment with knob and a seat tension knob



1B



1U



1UB



2

Caster	Description
1B	Braking Caster , Recommended where Chairs may roll to easily when is Not Occupied
1U	Soft Urethane Caster, Recommended on Tile, Cement and other Hard Surfaces
1UB	Soft Urethane Braking Caster, Recommended for reduce Mobility when is Not Occupied
2	Nylon Glide, Recommended for use in areas where requiring limited mobility



9B



9U



9UB



11

Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility