

STANDARD VINYL

BENCH HEIGHT

STANDARD VINYL



The stool allows you to comfortably sit, has a 15 1/2" round swivel seat for added convenience, adjustable height and has a weight capacity of 300 lbs., 3" High Resilient Density Foam for Better Comfort.

Model	Upholstery	Height	Seat	Footring	Base	Caster
	Туре	Adjustment	Dimensions			
A65-V	Vinyl	21"-31"	15 1/2"	20''	Polished Aluminum	1
P65-V	Vinyl	21"-31"	15 1/2"	20"	Black Nylon	1

PreFixx Group II

- 100 Vinyl Face, Poly/cotton Backing, Protective Coating for Increased Stain Resistence,
- Abrasion 400,000 Double Rubs
- Meets or Exceeds California Tech Bulletin 117, Boston Fire Dept. IX-1, Federal Standard A-A-2950, UFAC Fabric Class 1, FMVSS-302



OPTIONS







FR04 FR05 FR06

Footring	Description		
FR04	Knobless Nylon Footring 18"		
	The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)		
FR05	Knobless Aluminum with Steel Ring 20"		
	The Footring is Loosened and Tightened by Turning the Outer Footring. (option for models 10, 20M and 20W)		
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)		



Caster	Description			
1B	Braking Caster , Recommended where Chairs may roll to easily when is Not Oc-			
	cupied			
1U	Soft Urethane Caster, Recommended on Tile, Cement and other Hard Surfaces			
1UB	Soft Urethane Braking Caster, Recommended for reduce Mobility when is Not			
	Occupied			
2	Nylon Glide, Recommended for use in areas where requiring limited mobility			